Item	#

SEMINOLE COUNTY GOVERNMENT LAND PLANNING AGENCY / PLANNING AND ZONING COMMISSION AGENDA MEMORANDUM

SUBJECT: BELLE TERRE PRELIMINARY SUBDIVSION PLAN (PSP)									
DEPARTMENT: Planning & Development DIVISION: Development Review									
AUTHORIZED BY: Mahmoud Najda CONTACT: Denny Gibbs Ext. 7359									
Agenda Date 12/07/05 Regular ⊠ Work Session ☐ Briefing ☐									
Special Hearing – 6:00 Public Hearing – 7:00									
MOTION/RECOMMENDATION:									

Approve the Preliminary Subdivision Plan for Belle Terre consisting of 39 fee simple townhome units zoned PUD, located on Greenwood Blvd, south of Lake Mary Blvd in Section 18, Township 20S, range 30E.

District 4 – Commissioner Henley (Denny Gibbs, Senior Planner)

BACKGROUND:

The applicant, Robert Horian of Suncor Properties, Inc, is requesting Preliminary Subdivision Approval for 39 fee simple townhomes on 12.03 acres zoned PUD. The subject property is located on Greenwood Blvd, south of Lake Mary Blvd and is a replat of Lot 4 of the Greenwood at Lake Mary Phase 2 plat.

The subject property is served by Seminole County utilities. The internal roads are private.

STAFF RECOMMENDATION:


Staff recommends approval of the Preliminary Subdivision Plan for Belle Terre.

Attachments: Location map

Preliminary Plan Reduction

DR No. 05-5500015

Parcel ID#: <u>18-20-30-516-0000-0030</u>



filename: L:\DR\temp\p&z\StaffMaps\RegalPointe.mxd Printed: 10/21/2005

BELLE TERRE

A REPLAT OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2. PLAT BOOK 54, PAGES 48 THROUGH 51, SEMINOLE COUNTY, FLORIDA SECTION 18, TOWNSHIP 20 SOUTH, RANGE 30 EAST SEMINOLE COUNTY, FLORIDA



DESCRIPTION:

DESCRIPTION.

FROM THE MOST HORPHWESTERLY CORNER OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2. AS RECORDED IN PLAT BOOK 54, PAGES 48 THROUGH 51, OF THE PUBLIC RECORDS OF SEMENCE COUNTY, FLORIDA, AS A PORT OF BECOMMER, RIVIN THENCE ALONG THE BONNDAMY OF SAID LOT 4. THE FEALURHING COMPRES.

AND DISTANCES, SAID POINT BEBOK ON THE ARC OF SAID CUPIE THROUGH A CONTROL AROLE OF BOYLOGY. A DISTANCE OF 200° TO THE F.T. OF SAID CUPIE, RIVIN SOUTHEASTERY ALONG THE ARC OF SAID CUPIE THROUGH A CONTROL AROLE OF 037200° A DISTANCE OF 200° TO THE F.T. OF SAID CUPIE, RIVIN THROUGH ASSETTIVE AROLE OF 320° TO THE F.T. OF SAID CUPIE, RIVIN THROUGH ASSETTIVE AROLE OF 18.81 TO THE F.T. OF SAID CUPIE, RIVIN THROUGH ASSETTIVE AROLE OF 4.85° TO THE F.T. OF A CUPIE CONCAR SOUTHWEST AND HAVING TO THE F.T. OF SAID CUPIE, RIVIN THROUGH ASSETTIVE AROLE OF 4.85° TO THE F.T. OF AS CUPIES CONCAR SOUTHWEST THROUGH A CONTROL AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE F.T. OF SAID CUPIES, RIVIN THROUGH ASSETTIVE AROUND THE SOUTHWEST CONTROL OF SAID CUPIES FROM AN ORDER CONTROL OF THE F.T. OF SAID CUPIES OF SAID CUPIES. T

- NOTES:

 1 BEARING STRUCTURE BASED ON THE CENTERLINE OF SUN DRIVE AT LOT 4 BEING N894827E, AS PER RECORD PLAT.

 1 BEARING STRUCTURE BASED ON THE CENTERLINE OF SUN DRIVE AT LOT 4 BEING N894827E, AS PER RECORD PLAT.

 2. THOSS PARTS OF LOT 40 DESIGNATED AS "COMMON AREAS" ARE DPEN SPACE AND ARE TO BE OWNED AND AND AREAS AND URLITY REASELENTS FOR THE INSTALLATION, MANITEMANCE AND REPART OF UTILITIES BY THE PRIVATE UTILITY COMPANIES SERVING THE LAND. COMMON AREAS CAN BE USED FOR: LANDSCAPING, WALLS, FENCES, AND SIGNS AS DESIGNATED BY THE ASSOCIATION, MASE CAN BE USED FOR: LANDSCAPING, WALLS, FENCES, AND SIGNS AS DESIGNATED BY THE ASSOCIATION SO THAT AREA NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE AREA OF THE ASSOCIATION OF RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE AREA OF THE ASSOCIATION FOR CASHE THE WAY BY A BOTTON OF CABLE TELEWISHON SERVINGS SMALL INTERFER WITH THE FACULTES AND SERVICES OF AN ELECTRIC, TELEPHONE, CAS, OR OTHER PUBLIC UTILITY, IN THE EVENT A CABLE TELEWISHON FOR COMPANY ON AMERICANCE, AND OFFER THON OF CABLE THE WHOM THE PROBLEM OF SMALL BESOCIATE RESPONSIBLE FOR THE PRAIRTIES OF A PUBLIC UTILITY, IN THE THE THE THE THE THE PRAIRTIES OF A PUBLIC UTILITY, IN THE EVENT A CABLE TELEWISH OF COMPANY ON AMERICANCE, THE FACULTIES OF A PUBLIC UTILITY, IN THE EVENT A CABLE TELEWISH OF COMPANY ON AMERICANCE, THE FACULTIES OF A PUBLIC UTILITY, IN THE EVENT A CABLE TELEWISH OF COMPANY ON AMERICANCE, ONE OFFICE OF THE PUBLIC UTILITY, IN THE EVENT A CABLE TELEWISH OF COMPANY ON AMERICANCE, AND OFFICE ONES, THE FACULTIES OF A PUBLIC UTILITY OF THE PUBLIC UTILITY. BY SALL BESOCIATED BY A BOOTTED BY A MANITEMANCE, AND OFFICE AND SHALL FORM.

- D DENOTES PERMANENT REFERENCE MONUMENT (PRM), 4x4
 CONCRETE MONUMENT WITH METAL DISK MARKED, :MIMS PRM LS2494*
- DENOTES PERMANENT CONTROL POINT (PCP) NAIL & METAL DISK MARKED, * MIMS PCP LS2494*
- A D DENOTES POINT OF INTERSECTION POINT NOT SET IN FIELD

THIS PLAT. AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY

THIS PLAT PREPARED BY: MIMS SURVEYING & MAPPING, INC. LE7076 B23B FORT THOMAS WAY ORLANDO, FLORIDA J2822 407–275–6691 PROJ. NO. M0327PLAT1

I have reviewed this plot and find it to be in conformity with Chapter 177.08(1) Florida Statutes

CERTIFICATE OF COUNTY SURVEYOR

Gary A Leise, PLS Florida Registration Number 4723 County Surveyor for Seminale County, Florida PLAT BOOK

PAGE

BELLE TERRE A REPLAT

DEDICATION

THIS IS TO CERTIFY THAT THE UNDERSCHED, MERCEDES HOURS, INC., A FLORIDA CORPORATION, MERCENTER REFERRED TO AS TOWNER? IS THE LAWRIA, COMER OF THE LANDS DESCORED IN THE CAPTION HERICON AND IT HAS CAUSED THE SAME TO BE SHAVEED, AND THIS PLAND HAS ON ACCORDANCE WITH SAD SHAVE, IS REFER TAMOPTED AS THE LAWRIA DESCRIPT AS NOTED ON THE FACE OF THIS PAIL, IS MIND CONFIDENT AS THE TAMOPT OF THE FACE OF THIS PAIL, IS STREET, AND EASTMENT AS THE HOT THE CONTROL OF THE BEAUTY OF THE FACE OF THIS PAIL, IS STREET, AND EASTMENT AS HOT AND WILL NOT BE A PART OF THE COUNTY SYSTEM OF PUBLIC ROADS, NONE OF THE PROCESTY CONTROL AND SHAVE OF THE PROCESTY OF THE PAIR OF THE CONTROL AND SHAVE OF THE PROCESTY OF THE PAIR OF THE CONTROL OF THE PAIR OF THE PAIR OF THE CONTROL OF CONTROL AND EXCENSION AND EXSTREAD OF PAIR OF THE PAIR OF THE CONTROL OF CONTROL AND EXTRACTION AND EXCENSION AND EXCENSION.

REMAIN FRIVATE AND THE SOLE AND EXCLUSIVE PROMENTED OF OMNER, ITS SUCCESSIONS AND ASSIGNS.

OWERS DOES REFERRED FORM IT ON THE PRESENT AND FUTURE OWNERS OF THE LOTS I THROUGH 41 (INCLUSIVE) AND
HERR CASST, RIMITES COMESTO FELLY, AND TO DELIVERY, PICK UP. AND PIRE PROTECTION SERVICES, POLICE AND
OTHER AUTHORISES.

OT

AND MAINTARELD BT I'RE DELLE TERRE LIMMTURE LIMITED ASSOCIATIONA, TIME.

OMNER, HI BECODING THE STALL HAS CORLETED THE "COMMON AREA" SHOWN HEREON, WHICH AREA IS PART OF THE

"COMMON MEA", DESCRIPED IN THE DELLARATION SAID TOOMION AREA" IS HOT DEDICATED FOR THE USE AND

ENCOUNTERS OF THE CHEEKE PUBLIC BE AND THE OFFICE COMMON USE AND ENCOUNTER OF THE

PROPERTY OWNERS OF THE BELLE TERRE TOWNHOME OWNERS AND CANDON THE EMALT MAKE AND EXTERT OF,

AND THE RESERVATIONS AND RESTRICTIONS ON, SUCH COMMON USE AND ENCOUNTER ARE MORE TRULT'S SET FORTH IN

THIS PLAT AND IN THE DECLARATION.

INSTALL AND RETIRE DECLARATION.

WITHINGTONION, THE FORECOME AN EMERGENCY ACCESS EASEMENT TO THE PRIVATE STORM DRAINAGE SYSTEM OFFICE (OTT-40 AND 14 AND OMER ALL DRAINAGE EASEMENTS SHOWN ON THIS PLAT ARE HEREBY DEDICATED TO THE COUNTY FOR EMERGENCY OF THE PRIVATE STORM OR AND ALL STORM OFFICE AND ADDRESS OF THE PRIVATE STORM OR AND SYSTEM ORGATIS A HAZING TO THE REST HE DESTRUCTION OF THE MELTING HEAD AND ADDRESS ASSEMENT GRANTION ADDRESS OF THE EMERGENCY OF THE COUNTY TO ENTER UPON THE SUBJECT PROPERTY AND TAKE ANY ACTION TO REPART OR MAINTAIN THE PRIVATE DRAINING SYSTEM A ROWLEDGENGE WE REASON OR THIS PLAT ARE HEREBY DEDICATED TO THE COUNTY FOR USE BY ALL PUBLIC UNITIES.

YOR THE PROPERTY OF THE STANDARD OF THE STANDARD THE RESPONSE STORY ON AND ONLY AND ADDRESS.

-	IN WINESS WHEREOF, MERCEDES HOMES, INC., HAS	CAUSED THESE PRESENTS BE SIGNED AND ATTESTED	TO 0
Į	WITNESSED BY THE OFFICER NAMED BELOW ON THE	DAY OF 2005.	

NOS ENCOMPASSED BY THIS PI		
WITNESS WHEREOF, MERCEDES INESSED BY THE OFFICER NAM	HOMES, INC., HAS CAUSED THESE PRESENTS BE SIGNED AND ATTESTED TO OR JEED BELOW ON THE DAY OF 2005.	
HESS:	MERCEDES HOMES, INC., A FLORIDA CORPORATION	
NATURE	BY: MERCEDES HOMES, INC. A FLORIDA CORPORATION	
INTED HAVE)FS	
NATURE	BY:	
INTED HAME	TITLE:	
TATE OF FLORIDA OUNTY OF SEMINOI	LE	
ne foregoing instru	ment was acknowledged before me thisd 'S, by, the President of	оу
RCEDES HOMES. IN	NC., a Florida Corporation,	
half of the corpor () has prod	ration. Who is () personally known to me	
otary Public State	of Florida	
mmission Number		
	(Mataly Seal)	
o professional sur plat and was mad plat complies with	BY THESE PRESENTS, That the undersigned, being tryeyor and mapper that has prepared the foregoned de under my direction and supervision and that hall of the survey requirements of Chapter 177, and that said land is located within Seminole	oing the
Dated:	Signed	
IMS SURVEYING & 238 FORT THOMAS RLANDO, FLORIDA	MAPPING, INC. LB7076 WALTER T. MIMS WAY 32822 WALTER T. MIMS FLA REG NO. LS2494	
CERTIFICATE OF AF	PPROVAL BY BOARD OF COUNTY COMMISSIONERS Y. That on the	***************************************
foregoing plat was of Seminole Count	approved by the Board of County Commisioners y, Florida:	i
hairman of the Bo	pard Signature ATTEST:	
Printed	Name Printed Name	
	TFICATE OF CLERK OF CIRCUIT COURT	***************************************
HEREBY CERTIFY TO at it complies in	hat I have examined the forgoing plat and find form with all the requirements of Chapter 177, d was filed for record on	
o No	TOTAL COLUMN TO A STATE OF THE	
le No.	SIM MANAGE STATE THE SIM	
	-	
ERK OF THE COUR		
and for Seminole	County, Florido	

D.C.

GRAP	HIC	SCA	LE	MONTH CONTRACTOR
60	0	30	60	- Journal of the last
	IN FEI nch =	ET) BO ft . •		

BELLE TERRE

TOWNHOME UNIT DESIGNATION & GEOMETRY SHEET

PAGE

BOOK SHEET 2 OF 4

PLAT

A REPLAT OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2, PLAT BOOK 54, PAGES 48 THROUGH 51, SEMINOLE COUNTY, FLORIDA SECTION 18, TOWNSHIP 20 SOUTH, RANGE 30 EAST SEMINOLE COUNTY, FLORIDA

GREENWOOD AT LAKE MARY, PHASE 2 PB 54, PGS 48 - 51 S. SUN DRIVE N89"48"27"E POINT OF BEGINNING LOT 40 UTILITY ACCESS

& RICHT-OF-WAY

(COMMON AREA) MARY SEE SHEET 3 FOR EASEMENT GEOMETRY 521°51'13"E GREENWOOD AT LAKE PB 54, PGS 48 --REGAL TOWNE LANE 20' SEWER UTILITY EASEMENT LOT 40 UTILITY ACCESS & RIGHT-OF-WAY -(COMMON AREA) ± LOT 40 CROWN CIRCLE 15' WATERMAIN EASEMENT LOT 40 UTILITY ACCESS & ERICHT-OF-WAY,

(COMMON AREA) TRACT "A"

RECREATION/RETENTION/OPEN SPACE
GREENWOOD AT LAKE MARY, PHASE 2
PB 54, PGS 48 - 51 COMMON AREA

PRM STATE PLANE COORDINATES FOR LOTS 40 & 41

(19) N: 1606472.5194 E: 544135.4595 (20) N: 1606471.7063 E: 544163.5209 (21) N: 1606471.9550 E: 544740.0254 (22) N: 1606480.8673 E: 544831.3356

ABBREWATIONS & LECEND:

\$\Delta\$ = DELTA
R = RADIUS ARC LENGTH
TAN. = TANGENT LENGTH
ON BRINGO
OR = OFFICIAR RECORDS
BK = BOOK
PC = POFTICIAR RECORDS
BK = BOOK
PC = POINT OF CURVATURE
PT = POINT OF TANGENT
POC = POINT ON CURVATURE
PT = POINT OF CURVATURE
PG = PAGE
S = SOUTH
E = EAST
W = WEST
N = NORTH
C = CENTERLINE

---- = CENTERLINE
PRM = PERMANENT CONTROL POINT
DENOTES SET PRM (A 444 CONCRETE MONUMENT
PCP = PERMANENT CONTROL POINT
METAL DISK MARRIED, "PRM MIMS LSZ494"

(25)N-1806384 (225)
E:54498-8761
(26)N-1806353-4796
E:544991136
(27)N-1806206-8925
E:54503.5987
(18)N-1806204-8813
E:544135-5750
NCRETE MONUMENT WITH

SURVEYOR'S NOTE: PLAT BEARINGS AND DISTANCES ARE THE SAME AS MEASURED PLAT BEARINGS AND DISTANCES UNLESS NOTED OTHERWISE.

THIS PLAT PREPARED BY:
MIMS SURVEYING & MAPPING, INC.
LB7076
823B FORT THOMAS WAY
ORLANDO, FLORIDA 32822
407-275-6891
PROJ. NO. MO454PLAT

-

PLAT PAGE GRAPHIC SCALE BOOK BELLE TERRE SHEET 3 OF 4 A REPLAT OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2, (IN FEET) PLAT BOOK 54, PAGES 48 THROUGH 51, SEMINOLE COUNTY, FLORIDA 1 inchr = 60 ft. SECTION 18, TOWNSHIP 20 SOUTH, RANGE 30 EAST SEMINOLE COUNTY, FLORIDA EASEMENT GEOMETRY SHEET GREENWOOD BOULEVARD △=03'22'09" R=477.50' L=28.08' CH=28.07' CH BRG=S88'30'28"E^ ∆=84°37′08″ S. SUN DRIVE R=50.00' L=73.84' CH=67.31' TAN=45.51' N89*48'27"E 576.53 15" UTILITY EASEMENT, LOT 40 Δ=0515'07" R=1044.32' L=95.78' CH=95.74' TAN=47.92' _S21°51'13"E 17 149.43' 8 N87'40'31"E 150.92' 8 CENTERLINE 20' SEWER EASEMENT LOT 40 UTILITY ACCESS & RIGHT-OF-WAY △=05'55'02" R=1540.00' L=159.04' CH=158.97' TAN=79.59' 24 23 22 21 20 19 25 28 E | E | LOT 40 178.42 899.85' (NOT RADIAL) TRACT "A"

RECREATION/RETENTION/OPEN SPACE
GREENWOOD AT LAKE MARY, PHASE 2
PB 54, PGS 48 - 51 ABBREVIATIONS & LEGEND:

\$\times = \text{DELTA}\$

\$R = RADIUS

ARC LEN = ARC LENGTH

\$TAN, = TAMGENT LENGTH

CH = CHORD

CHD BRNG = CHORD BEARING

O.R. = OFFICIAL RECORDS

BK = BOOK

PC = POINT OF TANGENT

POC = POINT OF TANGENT

POC = POINT ON CURVE

D.O.T. = DEPARTMENT OF TRANSPORTATION

PG = PACE

\$S = SOUTH

\$E = EAST

\$M = WESTH

\$\times CENTERLINE\$ E = CENTERLINE PRM = PERMANENT REFERENCE MONUMENT
PCP = PERMANENT CONTROL POINT
© DENOTES SET PRM (A 4x4 CONCRETE MONUMENT WITH
METAL DISK MARKED, "PRM MIMS LS2494" THIS PLAT PREPARED BY: MIMS SURVEYING & MAPPING, INC. MMMS SURVEYING & MAPPING LB7076 8238 FORT THOMAS WAY ORLANDO, FLORIDA 32822 407-275-6691 PROJ. NO. M0454PLAT

PLAT PAGE BOOK

BELLE TERRE

A REPLAT OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2, PLAT BOOK 54, PAGES 48 THROUGH 51, SEMINOLE COUNTY, FLORIDA SECTION 18, TOWNSHIP 20 SOUTH, RANGE 30 EAST

SUN DRIVE SEMINOLE COUNTY, FLORIDA . 1 35 22 E CROSS ACCESS EASEMENT DETAIL SHEET NOTE:

* DENOTES CHANGE IN DIRECTION
(FIELD POINT NOT SET) GRAPHIC SCALE (IN FEET 1 inch = 20 ft 16' PEDESTRIAN CROSS ACCESS EASEMENT-"B" DEDICATED TO SEMINOLE COUNTY ABBREVIATIONS & LEGEND: ABBREWATIONS & LECEND:

A = DELTA
R = RADIUS
ARC LEN. * ARC LENGTH
TAN. * TANGENT LENGTH
CH = CHENCH
C POINT OF BEGINNING LOT 41 CURVE DATA FOR "8" & 5'39'47" R=1540.00' E=152.21' T=76.17' C=152.15' CB=N24'56'21"W E - CENTERLINE --- = CENTERLINE PRM = PERMANENT REFERENCE MONUMENT
PCP = PERMANENT CONTROL POINT

DENOTES SET PRM (A 4x4 CONCRETE MONUMENT WITH
METAL DISK MARKED, "PRM MIMS LS2494" GREENWOOD AT LAKE MARY PHASE2 PB 54, PGS 48-51 16' PEDESTRIAN CROSS ACCESS EASEMENT "A" DEDICATED TO SEMINOLE COUNTY

SOUTH LINE LOT 4

SHEET 4 OF 4

DESCRIPTION: 16' PEDESTRIAN CROSS ACCESS EASEMENT "A"
BEING A PORTION OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2, AS RECORDED IN PLAT BOOK
54. PAGES 48 THROUGH 51. OF THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, MORE
PARTICULARLY DESCRIBED AS FOLLOWS:
FROM THE SOUTHLEST CORNER OF SAID LOT 4 RUN SB9"34"32"W ALONG THE SOUTH LINE OF SAID
LOT 4 A DISTANCE OF 62.11 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE SB9"34"32"W
ALONG THE SOUTH LINE OF SAID LOT 4 A DISTANCE OF 20.60 FEET; THENCE DEPARTING THE
SOUTH LINE OF SAID LOT 4 FROM A CHORD BEARING OF NAD'S3"09"E RUN NORTHEASTERLY
ALONG THE ARC OF A CURVE HAWING A RADIUS OF 35.00 FEET THENCE DEPARTING THE
SOUTH LINE OF SAID LOT 4 FROM A CHORD BEARING OF NAD'S3"09"E RUN NORTHEASTERLY
ALONG THE ARC OF A CURVE HAWING A RADIUS OF 35.00 FEET THROUGH A CENTRAL ANGLE OF
DISTANCE OF 22.90 FEET TO THE PL. OF A CURVE CONCAVE NORTHWEST AND HAVING A RADIUS
OF 24.00 FEET; RUN THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A
CENTRAL ANGLE OF 55"56"35" A DISTANCE OF 23.43 FEET TO THE PT OF SAID CURVE: RUN
THENCE ND0"26"25"W A DISTANCE OF 40.88 FEET TO AND THERSECTION WITH THE EASTERLY LINE
OF SAID LOT 4; SAID INTERSECTION BEING ON THE ARC OF A CURVE CONCAVE NORTHEAST AND
HAVING A RADIUS OF 1540.00 FEET; THENCE FROM A CHORD BEARING OF 524"54"22"E RUN
SOUTHEASTERLY ALONG THE ARC OF SAID CURVE AND THE ASSTERLY LINE OF SAID CURVE: THROUGH A CENTRAL ANGLE OF 510"615" A DISTANCE OF 38.63 FEET TO A POINT ON THE ARC
OF SAID CURVE: THENCE DEPARTING THE ARC OF SAID CURVE AND THE ASSTERLY LINE OF SAID
LOT 4 RUN SOUTE"25" A DISTANCE OF 55"61" A DISTANCE OF 54ID
COT 4 RUN SOUTE"25" A DISTANCE OF 55"61" A DISTANCE OF 54ID
CURVE THROUGH A CENTRAL ANGLE OF 55"61" A DISTANCE OF 530"65" A DISTANCE OF 54ID
CURVE THROUGH A CENTRAL ANGLE OF 55"65"5" A DISTANCE OF 39.06 FEET TO
THE PT OF SAID CURVE; RUN THENCE SSS"30"10"W A DISTANCE OF 529 FEET TO THE POINT OF
BEGINNING.
CONTAINING 0.03 ACRES BEGINNING, CONTAINING 0.03 ACRES

DESCRIPTION: 16' PEDESTRIAN CROSS ACCESS EASEMENT "B"
BEING A PORTION OF LOT 4, GREENWOOD AT LAKE MARY PHASE 2, AS RECORDED IN PLAT BOOK
54, PAGES 48 THROUGH 51, OF THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, MORE
PARTICULARLY DESCRIBED AS FOR THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, MORE
PARTICULARLY DESCRIBED AS FOR THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, MORE
PARTICULARLY DESCRIBED AS FOR THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, MORE
PARTICULARLY DESCRIBED AS FOR THE PUBLIC RECORDS OF SEMINOLE COUNTY, FLORIDA, MORE
PARTICULARLY DESCRIBED AS TO ALONG THE CASTERLY LINE OF SAID LOT 4, FROM A CHORD BEARING OF
N24'55'21" WA DISTANCE OF 192.21 FEET TO THE POINT OF BEGINNING, THENCE CONTINUE
NORTHWESTERLY ALONG THE ARC OF SAID CURVE AND ALONG THE EASTERLY LINE OF SAID LOT 4,
FROM A CHORD BEARING OF N2'56'50" W THROUGH A CENTRAL ANGLE OF OOTS'15" A DISTANCE
OF 6.83 FEET TO THE PT OF SAID CURVE; RUN THENCE N21'51'13" WA DISTANCE OF 11.46 FEET
TO THE PC OF A CURVE CONCAVE NORTHEAST AND HAWING A RADIUS OF 1044.32 FEET; RUN
THENCE MORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF
00'270'27" A DISTANCE OF 6.22 FEET TO A POINT ON THE ARC OF SAID CURVE AND THE EASTERLY LINE OF
SAID LOT 4. THENCE DEPARTING THE ARC OF SAID CURVE AND THE EASTERLY LINE OF
SAID LOT 4. THENCE DEPARTING THE ARC OF SAID CURVE AND THE EASTERLY LINE OF
SAID LOT 4. THENCE DEPARTING THE ARC OF SAID CURVE AND THE EASTERLY LINE OF
SAID LOT 4. THENCE DEPARTING THE ARC OF SAID CURVE AND THE EASTERLY LINE OF
SAID LOT 4. THENCE DEPARTING THE ARC OF SAID CURVE AND THE EAR OF A
CURVE BEING CONCAVE NORTHEAST AND HAWING A RADIUS OF 24.00 FEET THROUGH A CENTRAL
ANGLE OF 4346'38" A DISTANCE OF 18.34 FEET TO A POINT OF INTERSECTION WITH THE ARC OF A CURVE
CONCAVE NORTHEAST AND HAWING A RADIUS OF 1044.32 FEET; THENCE FROM A CHORD BEARING
OF NIB'33'53'W RUN NORTHWESTERLY ALONG THE ARC OF SAID CURVE AND ALONG THE EASTERLY
LINE OF SAID LOT 4; SAID POINT OF INTERSECTION BEING ON THE ARC OF 71.65 FEET
TO THE POINT OF SAID LOT

SOUTHEAST CORNER

POINT OF BEGINNING

THIS PLAT PREPARED BY MIMS SURVEYING & MAPPING, INC. 8238 FORT THOMAS WAY ORLANDO, FLORIDA 32822 407-275-6691

PROJ. NO. MO454PI AT